

WE ARE READY TO BE YOUR LONG-TERM TRUSTED PARTNER

Whether you're a homeowner pursuing a cozy living space
an architect shaping iconic buildings
or enterprise seeking industrial protection solutions

Working together to paint a brighter, more durable, and more colorful future



Plate No. :
JZC&YS-20250928



CRYSTAL DIAMOND COLOR MOONSTONE

晶钻彩
月石

产品综述 /


晶钻彩是一种以天然矿物、高温煅烧砂与环保树脂为基础的艺术涂料，具备独特的晶体质感与自然装饰效果。它选用天然石英砂、云母颗粒及无机填料，经手工批刮与打磨成型，在墙面形成晶莹剔透、富有层次感的石质纹理，视觉上兼具石材的自然肌理与微妙的立体光泽。表面触感坚实细腻，光泽柔和雅致，在光线映射下呈现均匀漫反射，营造出清澈而不冷冽、高雅而宁静的空间氛围。

Product Introduction /

Crystal Diamond Color is an artistic paint based on natural minerals, high-temperature calcined sand, and environmentally friendly resins, resulting in a unique crystalline texture and natural decorative effect. Using natural quartz sand, mica particles, and inorganic fillers, it is hand-scraped and polished to create a translucent, layered stone texture on the wall, visually combining the natural texture of stone with a subtle, three-dimensional luster. The surface feels firm and delicate, with a soft and elegant luster. It reflects light evenly and diffusely, creating a clear, yet not cold, elegant and tranquil atmosphere.



Crystal Diamond Color 晶钻彩



JZC-206-21 新银白



JZC-206-22 新米黄



JZC-206-23 新蓝灰



JZC-206-24 新浅蓝



JZC-206-25 新浅蓝灰

因基材与施工环境的差异，色卡颜色与效果仅供参考，不作验收标准使用
Due to the differences between the substrate and the construction environment, the color and effect of the color card are for reference only, and are not used as acceptance standards

CN.

产品特点 /

- 1.健康环保有保障:在原料选择与生产工艺上严格遵循环保标准,核心成分彩砂经高温煅烧处理,其余填料均为天然矿物,从源头杜绝甲醛、重金属等有害污染物,且产品具备负离子持续释放功能,能主动净化室内空气,为居住者打造安全、清新的呼吸环境。
- 2.防护性能卓越:其表面形成的高密度涂层结构,赋予产品极强的抗冲击能力,日常碰撞不易受损,同时耐刮擦性能突出,可抵御家具摩擦、硬物刮划;独特的微孔设计更是实现“透气不透水”,既能排出室内潮气,又能阻隔外部水分渗入,自动调节室内湿度。
- 3.维护保养更便捷:表面致密光滑,无明显孔隙,日常使用中沾染的灰尘、油污、水渍等污渍,只需用湿布轻轻擦拭即可清除,无需复杂清洁流程;且产品物理稳定性强,长期使用不易出现开裂、起翘问题,大幅减少后期维护成本。
- 4.色彩稳定更持久:采用精选人工烧结彩砂,通过高温煅烧工艺让色彩深度固化,有效抵抗紫外线照射、环境湿度变化对颜色的影响,经测试可实现5-10年长期使用不褪色、不泛黄,始终保持墙面或地面的鲜亮装饰效果。
- 5.实用与美观兼具:在具备健康、防护、易维护等实用优势的同时,陶晶石凭借多样的色彩选择与细腻质感,能适配现代简约、轻奢、新中式等多种装修风格,既满足家居空间的功能需求,又能提升整体装饰格调,实现“颜值”与“实力”的双重保障。



EN.

Feature /

- Health and environmental protection are guaranteed: We strictly adhere to environmental protection standards in the selection of raw materials and production processes. The core ingredient, colored sand, is calcined at high temperature, and the remaining fillers are all natural minerals. This eliminates harmful pollutants such as formaldehyde and heavy metals from the source. The product also has the function of continuously releasing negative ions, which can actively purify indoor air and create a safe and fresh breathing environment for residents.
- Excellent protective performance: The high-density coating structure formed on its surface gives the product extremely strong impact resistance, making it not easily damaged by daily collisions. At the same time, it has outstanding scratch resistance and can resist furniture friction and scratches from hard objects: the unique microporous design makes it "breathable but not waterproof", which can not only discharge indoor moisture, but also block external moisture infiltration, and automatically adjust the indoor humidity.
- Easier maintenance: The surface is dense and smooth, with no obvious pores. Dust, oil, water stains and other stains picked up during daily use can be removed by gently wiping with a damp cloth, without the need for complicated cleaning procedures. The product also has strong physical stability and is not prone to cracking or warping after long-term use, greatly reducing subsequent maintenance costs.
- The color is more stable and lasting: it uses carefully selected artificial sintered colored sand and uses a high-temperature calcination process to deeply solidify the color, effectively resisting the influence of ultraviolet radiation and changes in environmental humidity on the color. After testing, it can achieve long-term use of 5-10 years without fading or yellowing, and always maintains a bright decorative effect on the wall or floor.
- Practical and beautiful: While possessing practical advantages such as health, protection, and easy maintenance, ceramic crystal stone can adapt to a variety of decoration styles such as modern simplicity, light luxury, and new Chinese style with its diverse color options and delicate texture. It not only meets the functional needs of the home space, but also enhances the overall decorative style, achieving dual guarantees of "appearance" and "strength".

施工指南 CONSTRUCTION GUIDELINES

施工方法 Construction methods



01
基层处理：
确保墙面平整坚固，批刮腻子后打磨至光滑，
涂刷专用抗碱底漆；
Base treatment: Ensure that the wall is flat and sturdy, apply putty and polish to a smooth finish, and apply a special alkali resistant primer;



02
材料调配：
按0-5%比例加入清水，使用电动搅拌机搅拌至均匀无颗粒；
Material mixing: Add water in a ratio of 0-5% and stir with an electric mixer until there are no particles;



03
第一遍施工：
用抹刀将材料均匀批刮上墙，确保完全覆盖基层无遗漏；
First construction: Use a spatula to evenly scrape the material onto the wall, ensuring complete coverage of the base layer without any omissions;



04
纹理塑造：
待第一遍表干（约6小时）后，批刮第二遍，注意半干时用收光刀收平；
Texture shaping: After the first coat dries (about 6 hours), scrape the second coat and use a finishing knife to flatten it when it is half dry;



05
表面精修：
完全干燥后（24小时）用细砂纸轻轻打磨，去除表面浮粒；
Surface finishing: After complete drying (24 hours), gently polish with fine sandpaper to remove surface floating particles;



06
保护处理：
根据需要涂刷专用罩面漆，增强防水防污性能。
Protection treatment: Apply specialized topcoat as needed to enhance waterproof and anti fouling performance.



JZC-206-26 新暖白



JZC-206-27 新浅橙白



JZC-206-28 新暖灰



JZC-206-29 新黄橙灰



JZC-206-30 新红粉



JZC-206-31 新浅绿白



JZC-206-32 新浅粉灰



JZC-206-33 新灰岩



JZC-206-34 新浅灰

产品综述 /

月石是一种高品质矿物质感涂料,精选高温烧结砂与环保树脂融合而成。其表面呈现均匀细腻的沙粒肌理,色彩柔和自然,触感舒适,兼具艺术美感与实用功能。产品通过国家环保认证,无毒无味,防霉耐污,适用于多种室内外墙面,为空间带来质朴优雅的现代装饰效果。

Product
Introduction /

Moonstone is a high-quality mineral-based paint crafted from a blend of carefully selected high-temperature sintered sand and environmentally friendly resin. Its surface features a uniform, fine sand texture, soft, natural colors, and a pleasant touch, combining artistic beauty with practical functionality. This product is certified environmentally friendly, non-toxic, odorless, mildew-resistant, and stain-resistant, making it suitable for a variety of interior and exterior surfaces, creating a simple, elegant, and modern decorative effect.



Moonstone 月石



YS-232-10 新月露白



YS-232-11 新月蕊黄

CN.

产品特点 /


- 1.天然美观质感佳:其表面呈现均匀细腻的微颗粒质感,触感温润,能柔和漫反射光线,避免强光直射的刺眼感,让墙面呈现出丰富的光影层次与立体肌理。采用天然矿物颜料上色,色彩饱和度且稳定性强,经长期日晒雨淋也不易发生褪色、变色现象,可长久保持墙面的鲜亮原色。同时,这种自然质朴的质感能轻松适配现代简约、北欧、新中式等多种设计风格,为空间注入自然清新又不失时尚的氛围。
- 2.防护性能强效全面:产品形成的高韧性漆膜具有出色的延展性,能有效遮盖基层出现的细微裂纹,且在日常使用中可抵御家具碰撞、物品刮擦等造成的痕迹,保持墙面完好。漆膜具备优异的防霉抗菌性能,通过抑制霉菌孢子滋生,即使在卫生间、厨房、地下室等潮湿区域使用,也能避免墙面出现霉斑。此外,其强大的抗紫外线能力使其不仅适用于室内,户外墙面装饰也能胜任,使用寿命远超普通涂料。
- 3.环保安全有保障:零甲醛、无重金属,还获得多项绿色产品认证。施工时没有异味,完工后可直接入住。墙体可自然呼吸,能有效防止结露积水。
- 4.施工友好易操作:材质均匀,施工时不粘刀,操作流畅又省力。局部损坏后可直接修补,能降低维护成本。适用范围广,水泥、腻子、石膏板等多种基层都能使用。
- 5.实用与适配性强:兼具美观、防护、环保与易施工优势,既满足家居装饰的颜值需求,又能应对不同环境和基层的使用场景,为各类空间打造持久稳定的装饰效果。



EN.

Feature /

- Natural beauty and good texture: its surface presents a uniform and delicate micro-particle texture, which is warm to the touch and can softly diffusely reflect light to avoid the glare of direct strong light, making the wall present a rich light and shadow layer and three-dimensional texture. It is colored with natural mineral pigments, with high color saturation and strong stability. It is not easy to fade or change color after long-term sun and rain, and can maintain the bright original color of the wall for a long time. At the same time, this natural and simple texture can easily adapt to a variety of design styles such as modern simplicity, Nordic, and new Chinese, injecting a natural, fresh and fashionable atmosphere into the space.
- Strong and comprehensive protective performance: The product forms a highly resilient paint film with excellent ductility, effectively covering minor cracks in the base layer. It also resists scratches from furniture and other objects during daily use, keeping the wall surface pristine. The paint film exhibits excellent mildew and antibacterial properties, inhibiting the growth of mold spores and preventing mildew stains on walls even in damp areas such as bathrooms, kitchens, and basements. Furthermore, its strong UV resistance makes it suitable not only for indoor but also for outdoor wall decoration, with a service life far exceeding that of ordinary paints.
- Environmentally friendly and safe: Zero formaldehyde, no heavy metals, and multiple green product certifications. No odor during construction, ready for immediate move-in upon completion. The walls breathe naturally, effectively preventing condensation and water accumulation.
- Construction-friendly and easy to use: The material is uniform, and the knife does not stick during application, making operation smooth and labor-saving. Local damage can be directly repaired, reducing maintenance costs. It is suitable for a wide range of substrates, including cement, putty, gypsum board, etc.
- Practical and adaptable: It has the advantages of beauty, protection, environmental protection and easy construction. It not only meets the appearance requirements of home decoration, but also can cope with the usage scenarios of different environments and bases, creating a long-lasting and stable decorative effect for all kinds of spaces.



YS-232-12 新月华白



YS-232-13 新月辉金




YS-232-14 新月牙银

施工指南 CONSTRUCTION GUIDELINES

施工方法 Construction methods



01
基层处理：
墙面平整坚固无松散，批刮腻子打磨后彻底清洁。
Base treatment: Ensure the wall surface is smooth, firm, and free of loose patches. After applying putty and sanding, clean thoroughly.



02
涂刷底漆：
滚涂覆盖抗碱底漆，确保均匀无遗漏，完全干燥。
Primer: Apply the alkali-resistant primer with a roller, ensuring it is evenly applied without missing any areas. Allow to dry completely.




03
搅拌材料：
开桶后均匀搅拌月石主漆，必要时加清水调节。
Mixing Materials: After opening the bucket, mix the Moonstone base paint evenly, adding water as needed.



04
批刮施工：
用批刀均匀刮涂，每次施工，半干时收光刀从不同方向收平。
Scraping Application: Apply evenly with a trowel. Each application should be smoothed with a finishing knife from different directions when the surface is partially dry.




05
打磨修整：
表干后轻微打磨表面，使质感更均匀细腻美观。
Sanding and Finishing: After surface drying, lightly sand the surface for a more even, refined, and beautiful finish.




06
保护处理：
根据需要涂刷专用罩面漆，增强防水防污性能。
Protection treatment: Apply specialized topcoat as needed to enhance waterproof and anti fouling performance.



YS-232-15 新月光玫瑰




YS-232-16 新月色粉



YS-232-17 新月橙灰




YS-232-18 新月影青



YS-232-19 新月灰绿



YS-232-20 新月牙蓝



YS-232-21 新月光蓝



YS-232-22 新月光灰



YS-232-23 新月岚灰

晶钻彩 Crystal Diamond Color

	CN.		EN.
产品规格 /	25kg/桶	Specification /	25kg/barrel
理论耗材 /	约0.7-1kg/m²/遍	Dosage /	about 0.7-1kg/m²/time
施工工具 /	不锈钢抹刀、收光刀、铲刀、砂纸、羊毛滚筒等	Construction tool /	Stainless steel spatula, finishing knife, scraper, sandpaper, wool roller, etc.
应用场景 /	晶钻彩艺术涂料广泛应用于高端住宅、商业空间及公共建筑，特别适合客厅背景墙、酒店大堂、艺术展厅、品牌专卖店等场所。其独特的自然质感能为空间注入艺术气息，同时满足不同环境对耐用性和环保性的严苛要求，是追求品质与美感的设计师首选材料。	Application Scenario /	Crystal Diamond Color art paint is widely used in high-end residential, commercial spaces, and public buildings, especially suitable for living room background walls, hotel lobbies, art exhibition halls, brand specialty stores, and other places. Its unique natural texture can inject artistic atmosphere into the space, while meeting the strict requirements of durability and environmental protection in different environments. It is the preferred material for designers who pursue quality and beauty.

月石 Moonstone

	CN.		EN.
产品规格 /	25kg/桶	Specification /	25kg/barrel
理论耗材 /	约0.5-0.6 kg/m²/遍	Dosage /	about 0.5-0.6 kg/m²/time
施工工具 /	不锈钢抹刀、收光刀、铲刀、砂纸、托盘、搅拌机 etc	Construction tool /	Stainless steel spatulas, finishing knives, scrapers, sandpaper, trays, mixers, etc.
应用场景 /	广泛用于住宅客厅、卧室及商业空间的室内墙面，打造自然现代风格；酒店、办公室、学校等对环保与耐用性要求较高的场所；外墙、走廊及阳台等需耐候防潮的区域，兼顾美观与实用。	Application Scenario /	Widely used in residential living rooms, bedrooms and commercial spaces for interior walls to create a natural modern style; hotels, offices, schools and other places with high requirements for environmental protection and durability; exterior walls, corridors and balconies and other areas that require weather resistance and moisture resistance, taking into account both beauty and practicality.

国际认证 Certification

Intertek Clean Air Gold



Intertek Clean Air Gold 是由国际知名的检验、检测和认证机构Intertek(天祥集团)提出的一个室内空气质量认证项目，此认证旨在评估建筑材料、家具和其他室内产品对室内空气质量的影响，确保这些产品在使用过程中不会释放过量的有害化学物质，从而保护人体健康。

UL Greenguard Gold



GREENGUARD 是国际公认的最权威的室内产品（建材、装饰材料、家具、地面材料、表面材料、油漆和涂料、清洁剂及儿童产品等多个类别）认证标准（针对产品在室内空气的化学挥发情况）。它已经获得包括LEED 在内480多个可持续项目和规范的认可。该项目使用科学的测试方法，通过对75,000多种不同行业的产品进行化学物质排放检测研究，能够确认释放到空气中的12,000多种挥发性有机化合物，从而保证室内空气质量。此外，它的绿色资源数据库被超过200个国家的政府采购、公用机构、行业协会列为无害产品购买指南。

Indoor Air Comfort Gold



欧洲IAC(Indoor Air Comfort, 室内空气舒适度)金级认证是目前欧洲VOC释放限量的最高标准，由总部设立于比利时的第三方独立检测机构欧陆科技(Eurofin)认证。该认证针对室内舒适度以及挥发性的有机物TVOC、甲醛、乙醛以及致敏物等挥发性物质进行了限量测试，分别测试涂料3天以及28天的有害物质释放量。该认证整合了比利时、法国、德国等多国VOC法规要求，并获得LEED、WELL Building Standard等国际绿色建筑认证体系的认可。

French VOC Emissions Labeling A+



法国A+认证的全称为法国室内空气环境监测A+级认证，由法国室内空气环境监测机构(AFC)颁发，主要针对建筑材料、家具等室内用品，评估其释放的挥发性有机化合物(VOCs)及其他有害物质的量。该认证基于欧洲室内空气质量标准(ISO-16000)，通过连续28天的空气质量检测，综合评估产品对室内空气的影响。认证标准分为A+、A、B、C四级，其中A+为最高级别。

M1 Mission Classification of Building Materials



芬兰M1认证是国际公认的室内建筑材料环保标准之一，由芬兰建筑协会(Building Information Foundation, RTS)制定，专门针对建筑材料释放的挥发性有机化合物(VOC)进行严格检测。该认证的核心目标是保障室内空气质量，减少有害物质对人体的影响，尤其适用于地板、涂料、胶粘剂、家具等产品。随着全球环保意识的提升，M1认证已成为北欧乃至欧洲市场的重要准入标准，被许多国际绿色建筑项目(如LEED、BREEAM)列为加分项。

性能特点



色彩天然 质感细腻



低碳环保



硬度高 不粉化



防潮防霉



抗裂性好

