

WE ARE READY TO BE YOUR LONG-TERM TRUSTED PARTNER

Whether you're a homeowner pursuing a cozy living space
an architect shaping iconic buildings
or enterprise seeking industrial protection solutions

Working together to paint a brighter, more durable, and more colorful future



Plate No. :
WJS-20260318



MICROCRYSTALLINE
STONE
微晶石



触手可及的晶润质感 静谧奢雅


A crystalline texture within reach, serene and luxurious

源自天然矿物的底蕴，融合先进高分子材料，经多层致密复合工艺匠心打造而成。微晶石这类新型的装饰材料，不仅细腻还原天然石材原生肌理，还糅合进晶体通透莹润的光泽，触感温润，纹路自然立体。兼备强悍硬度与长效抗污性能，色彩持久鲜亮，在光影变幻中尽显雅致大气，兼顾实用防护与空间美学，为居所沉淀高级质感，氤氲独有的艺术氛围感。

It faithfully recreates the natural texture of stone, blending it with the crystal-clear, lustrous sheen of gemstones. With a warm, smooth texture and naturally three-dimensional patterns, it combines exceptional hardness with long-lasting stain resistance. Its colors remain vibrant and enduring, exuding elegance and grandeur as light and shadow dance across the surface. Balancing practical protection with spatial aesthetics, it infuses your home with a sense of refined quality and creates a unique artistic ambiance.




Microcrystalline Stone-Fine Sand 微晶石-细砂




原色


因基材与施工环境的差异，色卡颜色与效果仅供参考，不作验收标准使用
Due to the differences between the substrate and the construction environment, the color and effect of the color card are for reference only, and are not used as acceptance standards



WJS-3201 | 可可蛋奶
v:0.1ML/KG m:0.166g/kg



WJS-3202 | 杏子灰
v:0.1ML/KG m:0.163g/kg




WJS-3203 | 太空漫步
v:0.1ML/KG m:0.145g/kg

因基材与施工环境的差异，色卡颜色与效果仅供参考，不作验收标准使用
Due to the differences between the substrate and the construction environment, the color and effect of the color card are for reference only, and are not used as acceptance standards

CN.

产品特点 /

1. 耐磨耐用
- 硬度高, 抗划伤; 长久使用不易磨损, 保持表面光泽。
- 漆膜致密坚韧, 耐擦洗性能优异, 反复清洁也不易失去原有质感。
2. 防污易洁
- 表面致密抗渗透; 污渍不易附着, 日常清洁简便。
- 抗污耐候性强, 油渍、水渍难以渗入涂层, 轻轻擦拭即可洁净如初。
3. 美观多样
- 仿天然石材纹理, 质感通透; 色彩丰富, 装饰性强。
- 可根据设计需求定制效果, 肌理细腻立体, 整体装饰效果高级大气。
4. 环保安全
- 原料天然无毒; 施工后无异味, 符合绿色建筑标准。
- 不含甲醛、苯等有害物, 涂刷后即可安心入住, 健康更有保障。



EN.

Feature /


- Wear-resistant and durable
- High hardness and scratch resistance, resistant to wear and tear even with prolonged use, maintaining a lustrous finish.
- The paint film is dense and durable, offering excellent scrub resistance, it retains its original texture even after repeated cleaning.
- Stain-resistant and easy to clean
- The surface is dense and impermeable, stains do not adhere easily, making daily cleaning a breeze.
- It offers excellent stain resistance and weather resistance, oil and water stains cannot penetrate the coating, and a light wipe is all it takes to restore it to its original condition.
- Aesthetically pleasing and diverse
- Features a natural stone-like texture with a translucent finish, offers a rich color palette and strong decorative appeal.
- Customizable to meet specific design requirements, with a delicate, three-dimensional texture that creates a sophisticated and elegant overall decorative effect.
- Environmental Protection and Safety
- The raw materials are natural and non-toxic, there is no odor after application, and the product meets green building standards.
- It contains no harmful substances such as formaldehyde or benzene, so you can move in immediately after application with peace of mind, ensuring better health protection.

产品综述 /


微晶石是一种由天然矿物质与高分子材料复合而成的新型装饰材料。它拥有天然石材的质感与纹理，同时具备更高的硬度、耐磨性和抗污染能力。表面晶莹剔透，色泽持久，适用于各类室内外墙面装饰，兼顾美观与实用性，赋予空间高端大气的装饰效果。

Product Introduction /


Microcrystalline stone is a new type of decorative material composed of natural minerals and polymer materials. It possesses the texture and grain of natural stone, while exhibiting higher hardness, wear resistance, and stain resistance. Its surface is crystal clear and its color is long-lasting, making it suitable for various indoor and outdoor wall decorations. It combines aesthetics and practicality, giving spaces a high-end and sophisticated decorative effect.




WJS-3204 | 印度黄
v:0.05ML/KG m:0.058g/kg




WJS-3205 | 象牙白
v:0.1ML/KG m:0.116g/kg




WJS-3206 | 复古橡粉
v:0.1ML/KG m:0.162g/kg




WJS-3207 | 伦敦雾
v:0.1ML/KG m:0.144g/kg



WJS-3208 | 页岩绿
v:0.1ML/KG m:0.135g/kg




WJS-3209 | 玛瑙棕
v:0.1ML/KG m:0.114g/kg



WJS-3210 | 无烟煤
v:0.1ML/KG m:0.113g/kg



WJS-3211 | 灰蓝
v:0.1ML/KG m:0.115g/kg



WJS-3212 | 钻石灰
v:0.2ML/KG m:0.226g/kg

源于自然肌理 归于本真质感


Inspired by nature’ s textures, returning to authentic tactile qualities

告别墙面的平淡乏味，以微晶石的天然肌理为载体，将柔和色调与原生质感相融，可见微晶石的动人之处，就藏在细腻温润的颗粒肌理里。光线斜洒时，墙面泛着细碎莹润的光泽。相比起粗犷厚重的礁石岩，微晶石更多了一份细腻柔和与精致感，让整面墙都透着灵动温柔的高级质感。

Say goodbye to the dull monotony of plain walls. Using the natural texture of microcrystalline stone as a canvas, soft hues blend seamlessly with its raw, organic texture—revealing that the true charm of microcrystalline stone lies in its delicate, warm-toned granular texture. When light falls at an angle, the wall glows with a delicate, lustrous sheen. Compared to the rugged, heavy texture of reef stone, microcrystalline stone offers a touch more delicacy, softness, and refinement, lending the entire wall a sophisticated, gentle, and vibrant quality.



Microcrystalline Stone-Coarse Sand 微晶石-粗砂



原色

因基材与施工环境的差异，色卡颜色与效果仅供参考，不作验收标准使用
Due to the differences between the substrate and the construction environment, the color and effect of the color card are for reference only, and are not used as acceptance standards

施工指南 CONSTRUCTION GUIDELINES

施工方法 Construction methods



01

基面处理: 施工前确保墙面坚固、平整、洁净、干燥, 无任何疏松物或油污。
Surface preparation: Before construction, ensure that the wall surface is solid, level, clean, and dry, with no loose material or grease.



02

底漆涂刷: 首先滚涂渗透底漆一遍, 以强化基层附着力与封闭性。
Applying the primer: First, apply one coat of penetrating primer using a roller to enhance adhesion to the substrate and seal the surface.



03

中涂滚涂: 接着滚涂净味细含砂中涂一遍, 提升基层平整与附着力。
Coating by roller application: Next, apply one coat of odorless, fine-grained sand intermediate coat using a roller to improve the substrate's smoothness and adhesion.



04

首遍批刮: 批刮第一遍微晶石, 边角补齐, 形成均匀粗糙肌理。
First coat: Apply the first coat of microcrystalline stone, filling in the edges and corners to create a uniform, textured finish.



05

二遍批刮: 批刮第二遍微晶石, 批刮完后, 用水晶搓板或木搓板将表面搓反。
Second coat: Apply a second coat of microcrystalline stone, and after applying it, buff the surface with a crystal or wooden scrapers.




06

肌理塑造: 待7-8成干后, 用水晶搓板搓出自然肌理。
Texture Creation: When it is 70-80% dry, use a crystal scrapers to create a natural texture.




07

單面打磨: 最后用砂纸整体打磨, 再滚涂罩光面漆以增强光泽与保护。
Surface sanding: Finally, sand the entire surface and apply a coat of clear topcoat to enhance the gloss and provide protection.



WJS-3213 | 汝窑

v:0.1ML/KG m:0.161g/kg



WJS-3214 | 奶咖

v:0.1ML/KG m:0.168g/kg



WJS-3215 | 轻纱

v:0.1ML/KG m:0.126g/kg


因基材与施工环境的差异, 色卡颜色与效果仅供参考, 不作验收标准使用
Due to the differences between the substrate and the construction environment, the color and effect of the color card are for reference only, and are not used as acceptance standards

“Crystal-Clear Purity” A Pure, Minimalist Style


「晶白澄净」纯净简约风

如月光般纯净柔和，自带清透高级滤镜，依托微晶石细腻质感，褪去寡淡感，适配各种简约居家空间，自带干净通透的气质，让空间更显开阔明亮。


As pure and gentle as moonlight, it possesses a natural, refined elegance. Drawing on the delicate texture of microcrystalline stone, it sheds any sense of blandness and complements a variety of minimalist home interiors. With its clean, airy aesthetic, it makes any space feel more open and bright.




WJS-3216 | 北约蓝
v:0.05ML/KG m:0.072g/kg



WJS-3217 | 蔓越莓红
v:0.2ML/KG m:0.346g/kg




WJS-3218 | 香盈藕粉
v:0.1ML/KG m:0.170g/kg




WJS-3219 | 菱花白
v:0.1ML/KG m:0.163g/kg



WJS-3220 | 橄榄灰
v:0.1ML/KG m:0.130g/kg




WJS-3221 | 南瓜绿
v:0.2ML/KG m:0.232g/kg



WJS-3222 | 姜灰黄
v:0.1ML/KG m:0.168g/kg



WJS-3223 | 婴儿蓝
v:0.05ML/KG m:0.058g/kg



WJS-3224 | 茶叶绿
v:0.2ML/KG m:0.232g/kg

Microcrystalline Stone

微晶石

	CN.		EN.
产品规格 /	25kg/桶	Specification /	25kg/barrel
理论耗材 /	细砂:0.8-1kg/m ² 粗砂:1.2-1.5kg/m ² (根据所需质感纹理的凹凸深浅程度而定)	Dosage /	Fine sand: 0.8-1 kg/m ² Coarse sand: 1.2-1.5 kg/m ² (Depends on the depth of the texture required)
施工工具 /	羊毛滚筒、不锈钢批刀、油灰刀、收光刀、砂纸、水晶搓板或木搓板等	Construction tool /	Wool rollers, stainless steel trowels, putty knives, finishing knives, sandpaper, crystal or wooden scrapers, etc.
应用场景 /	适用于客厅、酒店大堂、商业空间等墙面与地面，厨房及卫生间墙裙，亦可用于背景墙、台面等装饰，提升整体空间质感。	Application Scenario /	Suitable for walls and floors in living rooms, hotel lobbies, commercial spaces, and more, for kitchen and bathroom wainscoting, and for decorative applications such as accent walls and countertops, enhancing the overall aesthetic of the space.

国际认证 Certification

Intertek Clean Air Gold



Intertek Clean Air Gold是由国际知名的检验、检测和认证机构Intertek(天祥集团)提出的一个室内空气质量认证项目,此认证旨在评估建筑材料、家具和其他室内产品对室内空气质量的影响,确保这些产品在使用过程中不会释放过量的有害化学物质,从而保护人体健康。

UL Greenguard Gold



GREENGUARD是国际公认的最权威的室内产品(建材、装饰材料、家具、地面材料、表面材料、油漆和涂料、清洁剂及儿童产品等多个类别)认证标准(针对产品在室内空气的化学挥发情况),它已经获得包括LEED在内的480多个可持续项目和规范的认可。该项目使用科学的测试方法,通过对75,000多种不同行业的产品进行化学物质排放检测研究,能够确认释放到空气中的12,000多种挥发性有机化合物,从而保证室内空气质量。此外,它的绿色资源数据库被超过200个国家的政府采购、公用机构、行业协会列为无害产品购买指南。

Indoor Air Comfort Gold



欧洲IAC(Indoor Air Comfort,室内空气舒适度)金级认证是目前欧洲VOC释放限量的最高标准,由总部设立于比利时的第三方独立检测机构欧陆科技(Eurofin)认证,该认证针对室内舒适度以及挥发性的有机物TVOC、甲醛、乙醛以及致癌物等挥发性物质进行了限量测试,分别测试涂料3天以及28天的有害物质释放量。该认证整合了比利时、法国、德国等多国VOC法规要求,并获得LEED, WELL Building Standard等国际绿色建筑认证体系的认可。

French VOC Emissions Labeling A+




法国A+认证的全称为法国室内空气环境检测A+级认证,由法国室内空气环境监测机构(AFC)颁发,主要针对建筑材料、家具等室内用品,评估其释放的挥发性有机化合物(VOCs)及其他有害物质的量。该认证基于欧洲室内空气质量标准(ISO-16000),通过连续28天的空气质量检测,综合评估产品对室内空气的影响,认证标准分为A+、A、B、C四级,其中A+为最高级别。

M1 Mission Classification of Building Materials



芬兰M1认证是国际公认的室内建筑材料环保标准之一,由芬兰建筑协会(Building Information Foundation, RTS)制定,专门针对建筑材料释放的挥发性有机化合物(VOC)进行严格检测。该认证的核心目标是保障室内空气质量,减少有害物质对人体的影响,尤其适用于地板、涂料、胶粘剂、家具等产品。随着全球环保意识的提升,M1认证已成为北欧乃至欧洲市场的重要准入标准,被许多国际绿色建筑项目(如LEED、BREEAM)列为加分项。

性能特点

-  色彩天然 质感细腻
-  低碳环保
-  硬度高 不粉化
-  防潮防霉
-  施工多样性
-  施工多样性

