


WE ARE READY TO BE YOUR LONG-TERM TRUSTED PARTNER

Whether you're a homeowner pursuing a cozy living space  
an architect shaping iconic buildings  
or enterprise seeking industrial protection solutions

Working together to paint a brighter, more durable, and more colorful future



# Shining Crystal Art Paint 曜晶石

Plate No. :  
YJS-20251225



Shining Crystal Art Paint



# DELICATE & GENTLE

## 触手可及的细腻·目光所及的温柔

曜晶石是一种高档艺术涂料，具有天然矿物质锻造出的钻石般光泽，色彩厚重且不失华丽。它结合了天鹅绒的视觉美感和雅晶石的坚硬质地，采用全新的配料搭配工艺手法，创造出丰富的纹理效果，尤其是唯美轻奢的阴阳绒面纹理，叠层交错、通透丝滑。曜晶石艺术涂料的适用范围广泛，耐腐蚀性强，玻璃微珠工艺使其具备超强的耐磨损和耐擦洗性，方便日常打理，能完美融入欧式、轻奢、现代、新中式等多种装修风格。

Shining Crystal Art Paint is a high-end artistic coating with a diamond-like luster forged from natural minerals, boasting rich and luxurious colors. It combines the visual beauty of velvet with the hard texture of Elegant Crystal Stone, employing a new formulation and processing technique to create rich textural effects, especially the beautiful and luxurious yin-yang velvet texture, with its layered, interwoven, and silky smooth finish. Shining Crystal Art Paint has a wide range of applications, strong corrosion resistance, and its glass microbead technology gives it superior wear resistance and scrub resistance, making it easy to maintain daily. It can perfectly integrate into various decorating styles, including European, light luxury, modern, and neo-Chinese.



原色

### 施工指南 CONSTRUCTION GUIDELINES



01  
基层处理：确保墙面平整、坚固、干燥。新旧墙面均需批刮腻子并打磨平整。  
Surface Preparation: Ensure the wall surface is flat, firm, and dry. Both new and old walls require plastering and sanding smooth.



02  
涂刷底漆：使用羊毛滚筒均匀滚涂一遍渗透底漆，封闭基层，等待其完全干燥。  
Applying Primer: Use a wool roller to evenly apply one coat of penetrating primer to seal the surface and allow it to dry completely.



03  
搅拌涂料：开罐后充分搅拌曜晶石涂料，可视施工稠度加入不超过5%的清水调和。  
Mixing the Paint: After opening the can, thoroughly stir the Shimmering Stone Paint. Depending on the consistency, add no more than 5% water to adjust.



04  
第一遍施工：使用专用批刀均匀批刮上墙，塑造独特肌理。  
First Coat Application: Use a special trowel to evenly apply the first coat to create a unique texture.



05  
第二遍施工：待第一遍涂料完全干透后，进行第二遍批刮，批刮完成后用圆形打磨器搓出阴阳面，待半干再用打磨器收压一遍。  
Second Coat Application: After the first coat is completely dry, apply the second coat. After application, use a round sander to create two shaded areas. Let it dry slightly, then sand it again to smooth the surface.

### 产品特点 PRODUCT FEATURES



光泽柔亮



手感细滑



施工多样性



环保净味



可调浅色



气味清新



0级防霉



持久靓丽



# 橄榄灰 ash



「静谧共生」—— 极简侘寂风

中性低饱和的色调，兼具橄榄灰的自然感与灰色的沉稳感，兼容性极强，可作为空间的“万能底色”。

应用场景：客厅、主卧、书房。

"Quiet Symbiosis"—Minimalist Wabi-Sabi Style

The neutral, low-saturation color tone combines the natural feel of olive gray with the calmness of gray, making it highly compatible and a versatile base color for any space.

Application Scenario: Living Room, Master Bedroom, Study.

## ART PAINT COLORS




YJS-2801 橄榄灰-0.1ML/KG



YJS-2803 大蒜米-0.1ML/KG



YJS-2804 银烛台-0.1ML/KG



YJS-2802 深海灰-0.1ML/KG



YJS-2805 海军黑-0.1ML/KG



YJS-2806 无烟煤蓝-0.1ML/KG




# 铁锈红 red

「落日栖居」——复古暖调风

铁锈红自带浓郁的复古质感与岁月沉淀感，小面积使用时能瞬间成为空间视觉焦点，适合追求个性与怀旧氛围的空间。

应用场景：餐厅、儿童房（男孩）、玄关。



Sunset Residence – Retro Warm Tone

Rust red has a rich retro feel and a sense of timelessness. When used in a small area, it can instantly become the visual focus of the space, making it suitable for spaces that pursue individuality and a nostalgic atmosphere.

Application Scenario: Dining room, children's room (boys'), and entryway.

## ART PAINT COLORS



YJS-2807 荒漠红-0.05ML/KG



YJS-2808 玛瑙棕-0.1ML/KG



YJS-2809 铁锈色-0.1ML/KG



YJS-2810 纯米-0.1ML/KG



YJS-2811 梵戴克棕-0.1ML/KG



YJS-2812 褐珊瑚-0.05ML/KG



# 姜灰黄 yellow



「轻氧漫居」——法式奶油风

低饱和度的暖黄色调，弱化了姜灰黄的刺眼感，自带柔和治愈的属性，能为空间注入温暖感却不张扬。搭配原木家具与白色软装，可营造出阳光般的舒适氛围，尤其适合采光一般的空间。  
应用场景：卧室、厨房、阳台。

"Light Oxygen Living"—French Cream Style  
The low-saturation warm yellow tone softens the harshness of ginger-gray yellow, possessing a gentle and soothing quality that infuses a space with warmth without being ostentatious. Paired with natural wood furniture and white soft furnishings, it creates a comfortable, sun-kissed atmosphere, especially suitable for spaces with limited natural light.  
Application Scenario: bedroom, kitchen, balcony.

## ART PAINT COLORS



YJS-2813 月光黄-0.1ML/KG




YJS-2815 胡椒白-0.1ML/KG



YJS-2816 姜灰黄-0.1ML/KG



YJS-2814 洋葱白-0.1ML/KG



YJS-2817 布莱垦棕-0.1ML/KG



YJS-2818 花生酱-0.1ML/KG



# 灰蓝 blue



「森系雾蓝」——自然轻复古风

灰蓝融合了蓝色的宁静与灰色的沉稳，自带高级冷调质感，却不会过于清冷。涂刷后能营造出静谧、雅致的空间氛围，适合需要专注或放松的区域。


应用场景：次卧、卫生间、工作室。

"Forest Mist Blue"—A Natural, Lightly Retro Style

Gray-blue blends the tranquility of blue with the composure of gray, possessing a sophisticated cool-toned feel without being overly austere. After application, it creates a serene and elegant atmosphere, suitable for areas requiring focus or relaxation.

Application Scenario: Second bedroom, bathroom, studio.

## ART PAINT COLORS



YJS-2819 香粉淡青-0.05ML/KG



YJS-2820 灰蓝-0.05ML/KG



YJS-2821 北欧风情-0.025ML/KG



YJS-2822 建筑蓝-0.05ML/KG



YJS-2823 杜松子蓝-0.025ML/KG



YJS-2824 工作坊蓝-0.05ML/KG



# 茶叶绿 green

「隐林栖居」——现代自然风

茶叶绿如同雨后茶园的清新色调，自带自然质朴的气息，能舒缓视觉疲劳，营造出宁静雅致的氛围。搭配原木、藤编材质与绿植，可打造出贴近自然的禅意空间，适合追求慢生活节奏的区域。

应用场景：客厅背景墙、茶室、老人房。




"Hidden Forest Living"—Modern Natural Style

Tea green, like the fresh hue of a tea garden after rain, carries a natural and rustic charm, soothing visual fatigue and creating a tranquil and elegant atmosphere. Paired with natural wood, rattan, and greenery, it can create a Zen-like space that is close to nature, suitable for areas that pursue a slow-paced lifestyle.

Application Scenario: living room background wall, tea room, and senior citizen's room.



## ART PAINT COLORS



YJS-2825 中国茶叶绿-0.1ML/KG




YJS-2827 小豆蔻绿-0.1ML/KG



YJS-2828 伦敦雾-0.1ML/KG



YJS-2829 北国山川-0.1ML/KG



YJS-2826 页岩绿-0.1ML/KG



YJS-2830 明水鸭色-0.1ML/KG



. 曜晶石 Shining Crystal Stone

| 技术参数    | Technical data      |                                    |                                                                                       |
|---------|---------------------|------------------------------------|---------------------------------------------------------------------------------------|
| 材料性能    | Material Properties | 水性合成树脂丙烯酸乳液涂料                      | Water-based synthetic resin acrylic emulsion paint                                    |
| 干膜厚度    | Thickness           | 0.5-0.6mm                          | 0.5-0.6mm                                                                             |
| 理论覆盖率   | Coating rate        | 0.8-1m <sup>2</sup> /kg            | 0.8-1m <sup>2</sup> /kg                                                               |
| 干燥时间    | Surface dry         | ≤4h                                | ≤4h                                                                                   |
| 触干      | Touch dry           | <4h                                | <4h                                                                                   |
| 干燥时间(硬) | Hard dry            | ≥72h                               | ≥72h                                                                                  |
| 涂层      | Coating layer       | 2次                                 | 2 times                                                                               |
| 使用寿命    | Service life        | >10年                               | >10 years                                                                             |
| 油漆颜色    | Color selection     | 白色(可调色)                            | White (adjustable color)                                                              |
| 施工工具    | Construction Tools  | 羊毛滚筒/不锈钢批刀/铲刀<br><br>/240目砂纸/圆形打磨器 | Wool roller/Stainless steel squeegee/Scraper<br><br>/240 grit sandpaper/Round sanders |
| 储存      | Storage conditions  | <30°C 阴凉, 干燥                       | <30°C,cool,dry                                                                        |

国际认证 Certification

|                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Intertek Clean Air Gold</p>  <p>Intertek Clean Air Gold是由国际知名的检验、检测和认证机构Intertek(天祥集团)提出的一个室内空气质量认证项目,此认证旨在评估建筑材料、家具和其他室内产品对室内空气质量的影响,确保这些产品在使用过程中不会释放过量的有害化学物质,从而保护人体健康。</p> | <p>UL Greenguard Gold</p>  <p>GREENGUARD是国际公认的最权威的室内产品(建材、装饰材料、家具、地面材料、表面材料、油漆和涂料、清洁剂及儿童产品等多个类别)认证标准(针对产品在室内空气的化学挥发情况)。它已经获得包括LEED在内480多个可持续项目和规范的认可。该项目使用科学的测试方法,通过对75,000多种不同行业的产品进行化学物质排放检测研究,能够确认释放到空气中的12,000多种挥发性有机化合物,从而保证室内空气质量。此外,它的绿色资源数据库被超过200个国家的政府采购、公用机构、行业协会列为无害产品购买指南。</p> | <p>Indoor Air Comfort Gold</p>  <p>欧洲IAC(Indoor Air Comfort, 室内空气舒适度)金级认证是目前欧洲VOC释放限量的最高标准,由总部设立于比利时的第三方独立检测机构欧陆科技(Eurofin)认证。该认证针对室内舒适度以及挥发性的有机物TVOC、甲醛、乙醛以及致癌物等挥发性物质进行了限量测试,分别测试涂料3天以及28天的有害物质释放量。该认证整合了比利时、法国、德国等多国VOC法规要求,并获得LEED、WELL Building Standard等国际绿色建筑认证体系的认可。</p> | <p>French VOC Emissions Labeling A+</p>  <p>法国A+认证的全称为法国室内空气环境检测A+级认证,由法国室内空气环境监测机构(AFC)颁发,主要针对建筑材料、家具等室内用品,评估其释放的挥发性有机化合物(VOCs)及其他有害物质的量。该认证基于欧洲室内空气质量标准 (ISO-16000),通过连续28天的空气质量检测,综合评估产品对室内空气的影响。认证标准分为A+、A、B、C四级,其中A+为最高级别。</p> | <p>M1 Mission Classification of Building Materials</p>  <p>芬兰M1认证是国际公认室内建筑材料环保标准之一,由芬兰建筑协会(Building Information Foundation, RTS)制定,专门针对建筑材料释放的挥发性有机化合物(VOC)进行严格检测。该认证的核心目标是保障室内空气质量,减少有害物质对人体的影响,尤其适用于地板、涂料、胶黏剂、家具等产品。随着全球环保意识的提升,M1认证已成为北欧乃至欧洲市场的重要准入标准,被许多国际绿色建筑项目(如LEED、BREEAM)列为加分项。</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

产品综述 /

曜晶石是一款灵感源自天然水晶矿石的高端艺术涂料,属于结合天鹅绒柔和光泽与雅晶石强韧特性的艺术漆范畴。它精选天然水晶粉、云母颗粒及环保树脂为原料,通过特殊工艺锻造。涂膜干固后,墙面呈现出如水晶原石般细腻的晶烁质感与微妙的肌理变化,触感平滑而坚实。产品独特的半哑光质地能有效捕捉并漫射光线,在不同光照角度下,矿物微粒会折射出若隐若现的星点光泽,为空间带来深邃、立体且充满自然灵气的艺术效果,营造出沉稳而高级的视觉氛围。

产品特点 /

- 1.天然环保与健康  
\*纯净选材:主要成分为无机矿物粉与水性树脂,VOC含量趋零,确保室内空气清新。  
\*防霉抗菌:致密漆膜有效阻隔水分渗透,抑制霉菌滋生,防霉等级达0级。
- 2.卓越的晶石质感  
\*立体层次:内含精致矿物颗粒,营造出富有层次感的微光泽纹理,视觉上接近天然矿石。  
\*柔和光泽:独特的半哑光效果,光线反射柔和,避免光污染,提升空间质感与深度。
- 3.出色的耐用性能  
\*高强度耐磨:漆膜硬度高,抗刮擦性能优异,能承受日常生活中的磕碰与摩擦。  
\*抗污易洁:表面致密光滑,对于常见污渍(如手印、笔迹)具有良好的抵抗性,易于擦拭清洁。
- 4.广泛的适用性  
\*附着力强:适用于多种平整基层(如腻子墙、石膏板等),漆膜稳定不易脱落。  
\*色彩持久:选用高品质颜料,抗紫外线能力强,能长久保持色彩鲜艳,不易褪色。

产品规格 /

5kg/桶, 10kg/桶, 20kg/桶

理论耗材 /

0.5-0.6kg/m<sup>2</sup>/遍

施工工具 /

批刀、抹刀、圆形打磨器、羊毛滚筒等。

应用场景 /

适用于家居客厅、背景墙,打造轻奢艺术范;商业空间如酒店大堂、品牌专卖店,凸显高级质感;亦适用于需要营造沉稳氛围的办公区、会所及艺术展厅,提升整体空间格调。

EN.

Product Introduction /

Shining Crystal Stone is a high-end artistic coating inspired by natural crystal minerals, it belongs to the category of artistic paints that combine the soft luster of velvet with the toughness of crystal. It is made from carefully selected natural crystal powder, mica particles, and environmentally friendly resin, forged through a special process. After the coating dries, the wall surface exhibits a delicate, shimmering texture and subtle textural variations, reminiscent of raw crystal, with a smooth yet solid feel. The product's unique semi-matte texture effectively captures and diffuses light; under different lighting angles, the mineral particles refract a subtle, star-like sheen, bringing a deep, three-dimensional, and naturally inspired artistic effect to the space, creating a calm and sophisticated visual atmosphere.

Feature /

Natural, environmentally friendly, and healthy  
Pure materials: The main components are inorganic mineral powder and water-based resin, with VOC content approaching zero, ensuring fresh indoor air.  
Anti-mildew and antibacterial: The dense paint film effectively blocks moisture penetration and inhibits mold growth, achieving a mildew resistance level of 0.  
Exceptional crystal texture  
Three-dimensional layering: Contains fine mineral particles, creating a layered, subtly glossy texture that visually resembles natural minerals.  
Soft Gloss: The unique semi-matte finish reflects light softly, avoiding light pollution and enhancing the texture and depth of the space.  
Excellent durability  
High strength and wear resistance: The paint film has high hardness and excellent scratch resistance, and can withstand the bumps and friction in daily life.  
Stain-resistant and easy to clean: The dense and smooth surface has good resistance to common stains (such as fingerprints and pen marks) and is easy to wipe and clean.  
Wide applicability  
Strong adhesion: Suitable for various flat substrates (such as putty walls, gypsum board, etc.), the paint film is stable and not easy to peel off.  
Long-lasting color: Made with high-quality pigments, it has strong UV resistance and can maintain its vibrant color for a long time without fading.

Specification /

5kg/barrel, 10kg/barrel, 20kg/barrel

Dosage /

0.5-0.6 kg/m<sup>2</sup>/time

Construction tool /

Pliers, spatulas, round sanders, wool rollers, etc.

Application Scenario /

Suitable for home living rooms and feature walls, creating a light luxury art style; commercial spaces such as hotel lobbies and brand stores, highlighting a high-end feel; also suitable for office areas, clubs and art galleries that need to create a calm atmosphere, enhancing the overall style of the space.